







TWO Y LIGHTING CO., LTD.



12/271 ซอยรามคำแหง 120 ถนนรามคำแหง แขวง/เขต สะพานสูง กรุงเทพฯ 10240 โทร. 02-728-7344 โทรสาร:
 website : www.twoylighting.com, e-mail : info@twoylighting.com, e-mail : y.tammy@hotmail.com



Special Design for Special Application		High Quality Application	
 <p>Color-Ratio-Adj 4Chips-in-1LED</p>	<p>Color-Ratio-Adj Grow Light Strips</p> <ul style="list-style-type: none"> • LED: 4-in-1 SMD5050 LED, 3 Red + 1 Blue • Power: 19.2W/m • LED Qty: 60LED/m • Voltage: DC12V / DC24V • <i>The Brightness of each chip can be adjusted</i> 		<p>150lm/W LED Flexible Strips</p> <ul style="list-style-type: none"> • LED: 5630, • Power: From 5.7W/m, 11.5W/m, 22W/m • Voltage: DC24V • Constant Current Version • Brightness: 800lm/m to 3300lm/m
 <p>840-845nm</p>	<ul style="list-style-type: none"> • LED: SMD3528 • Power: 4.8W/m, 9.6W/m • LED Qty: 60LED/m, 120LED/m • Voltage: DC12V / DC24V • Wave Length: 840-845nm 		<p>CRI ≥ 95 LED Flexible Strips</p> <ul style="list-style-type: none"> • LED: CRI ≥ 95 (SMD3528, 5630) • LED: CRI ≥ 90 (SMD2835, 3020, 5050, 3528, 5630) • Power: From 4.8W/m to 22W/m, different power • Voltage: DC12V and DC24V, both • Constant Voltage and Constant Current Version both • Brightness: 300lm/m to 2200lm/m
	<p>160 Degree CRI ≥ 90 Back Light Bar</p> <ul style="list-style-type: none"> • LED: High Power SMD2835 • Power: 7.2W/pcs and 14.4W/pcs • Standard Length: 25cm and 50cm • Voltage: DC24V • Constant Current Version 		<p>3300lm/m LED Flexible Strips</p> <ul style="list-style-type: none"> • Light Efficiency: 150lm/W • LED: SMD5630 • Power: 22W/m • Voltage: DC24V • Constant Current Version • Brightness: 3300lm/m

Special Design for Special Application

SAMSUNG SMD5630 LED Module

- LED: SAMSUNG SMD5630
- Power: 10W/pcs
- Dimension: 10*10cm
- Voltage: DC24V
- Constant Current Version



High Quality Application


DC24V Constant Current Strips

- LED: SMD3528, 2835, 3020, 5050, 5630
- Power: From 4.8W/m to 22W/m, different power
- Voltage: DC12V and DC24V, both
- Constant Voltage and Constant Current Version both
- Brightness: 300lm/m to 3300lm/m
- **Quality is much higher than Constant Voltage Types**



4 Chips in 1 LED New RGBX Strips

- Color: RGB + Warm White, RGB + Nature White,
- RGB + Pure White, RGB + Amber, Digital
- CRI(Ra) ≥ 80
- LED: SMD5050 30LED/m, 60LED/m, 72LED/m
- Power: 19.2W/m, 23W/m, 9W/m, 18W/m
- Constant Voltage Version, DC5V/DC12V/24V



SAMSUNG & OSRAM Strips

- LED: SMD5630, CRI(Ra) ≥ 80
- Light Efficiency: 130lm/W and 110lm/W
- LED: 60LED/m, 70LED/m, 126LED/m
- Power: 15W/m, 22W/m
- Input: Constant Voltage
- DC24V/DC12V Input Constant Current Version



Food Lighting LED Strips

- Warm White + Pure White + Red
- CRI(Ra) ≥ 80
- LED Qty: SMD5050 30LED/m, 60LED/m
- Power: 7.2W/m, 14.4W/m
- Constant Voltage Version, DC12V/24V
- **Warm White, Pure White and Red color in one LED**



3528 5mm Width LED Strips

- Color: Different Color
- Color Rendering: CRI(Ra) $\geq 95/90/70$
- LED Qty: SMD3528 60/120 LED/m
- Power: 4.8W/m, 9.6W/m
- DC12V/DC24V



2 Chips in 1 LED Dual Color Strips

- CRI(Ra) ≥ 90
- Color: 2500K to 6500K (**you can choose as per you like**)
- LED Qty: SMD3528 120LED/m, 60LED/m
- Power: 19.2W/m, 9.6W/m
- Constant Voltage Version, DC12V/24V




High Density LED Strips

- Color: Different Color
- Color Rendering: CRI(Ra) $\geq 95/90/70$
- LED Qty: SMD3528 240LED/m, 180LED/m
- Power: 19.2W/m, 14.4W/m
- Constant Voltage Version



Special Design for Special Application



Angle Adjustable LED Strips

- Color: RGB and Different White Color
- Color Rendering: CRI(Ra) \geq 95/90/80
- LED: Samsung or Epistar
- LED Qty: SMD5630, SMD3535, SMD3528
- Power: 15W/m, 14.4W/m, 4.8W/m, 7.2W/m

Special Design for Special Application



IC Inside LED New Digital LED Strips

- IC: WS2811
- LED: SMD5050 30LED/m, 60LED/m
- Power: 9W/m, 18W/m
- Constant Voltage Version DC5V
- **Features: Quality is more stable**



Bendable LED Strips

- Color: Red, Green, Blue, Yellow, White Color
- CRI(Ra) \geq 90 or CRI(Ra) \geq 70
- LED Qty: SMD3528 60LED/m
- Power: 4.8W/m or 7.2W/m
- Constant Voltage Version



3535 High Output RGB LED Strips

- LED: SMD3535
- LED Qty: 120LED/m
- Power: 28.8W/m
- PCB Width: 12mm
- Voltage: DC24V

Simple Introduction of 2Y Strips

☆ **Brightness:** The highest one is 3300lm/m for single-row

☆ **CRI(Ra):** CRI \geq 95(90, 80) is available

☆ **Light Efficiency:** The highest one can reach 150lm/W

☆ **CC and CV:** Temperature Sensor Constant Current and Constant Voltage Version

☆ **Color Temperature:** 2200K, 2500K, 2700K, 3000K, 3500K, 4000K, 5000K, 6000K, 7000K+

☆ **Color:** Single Color, Two Color, RGB Color, RGB+White Color, Dream Color

☆ **LED Type:** Two color SMD3528, SMD5630(Samsung/Osram), SMD2835, SMD5050, Super bright SMD3528, Normal Bright SMD3528 and SMD335, SMD3020

☆ **Rows:** Both Single Line and double-line strips available

☆ **Waterproof version:** Non-waterproof version, IP54 version (Single-side glued), IP67 version (with silicone tube), IP68 version(silicone tube+Glue)

☆ **Different Series :** QL Series is of the top quality in China Market, SA series is of high quality and LH series is of middle quality lever.
Please choose according to your market and application.

☆ **3M 300LSE High Quality Adhesive tape**

